


NOTES:

1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.

2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.

3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12B OR EQUIVALENT.

△4 ADD TEFLON TAPE 010405-01-000.

△5 ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.

△6 INSTALL CONNECTOR WITH TAPERED END AWAY FROM FAUCET.

△7 LAVATORY FAUCET SPOUT TO BE TURNED 180 DEGREES SO THE ON/OFF HANDLE IS FACING TOWARD THE SHOWER.

△8 INSTALL BETWEEN MOUNTING PLATE AND RETAINING NUTS.

9. ALL CRIMP FITTINGS TO PEX TUBING REQUIRE 5/8" CLAMP 000156248 / 326669-01-000.

△10 INSTALL BYPASS FOR SYSTEM TESTING AND SHIPPING.

△11 GALLEY FAUCET TO BE INSTALLED SO THE ON/OFF HANDLE CLEARS WINDOW SHADE.

△12 INSTALL RUBBER GROMMET INCLUDED IN 135028-02-CHT.

△13 USE SPACER SUPPLIED WITH DROP ELL.

CC	INDICATES A CRITICAL CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.
SC	INDICATES A SIGNIFICANT CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.
KC	INDICATES A KEY CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.

X-X	FOR WATER CALLOUTS SEE DWG NO. 000209446 / 303369-01-000

WINNEBAGO

COPYRIGHT 2024 WINNEBAGO INDUSTRIES, INC.

DSNR:

DFTR:

ALL DIMENSIONS ARE IN MILLIMETERS

UNSPECIFIED TOLERANCES:		MATERIAL:
WHOLE DIM (X) ±	3	
ONE-PLACE (X.X) ±	1.5	
TWO-PLACE (X.XX) ±	0.50	
ANGLE ±	1°	

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

WEIGHT: (LBS)

FIRST USED: (REF)
20 524V

DESCRIPTION:
WATER SYSTEM INSTL

SHEET: 1 OF 4

ITEM/PART NO: 000164286 / 32910201000

REV

REF: 1 24-Jan-2024


SHOWER HEAD-W/HOSE & BRKT
000162058 / 328585-01-CHT


13 12 DROP ELL-SHOWER 1/2,ROUND
000251849 / 349569-01-CHT
PLATE-COVER,SHOWER HEAD
000257352 / 350692-01-CHT

FAUCET-VALVE,SHOWER
144596-01-CHT
FAUCET-TRIM KIT
144596-02-CHT


PANEL-SHOWER FAUCET
167738-06-CHT
SCREW
000G39-08-12U (8)
COVER-SCREW
166569-01-CHT (8)

7 FAUCET-LAV,SGL CTRL,NO WASTE
000205572 / 338712-01-CHT







BRACKET-SHOWER HEAD
131550-03-CHT
SCREW
000G39-08-12U (2)




VIEW BD
(SHOWING FLUSHING SYSTEM)



DETAIL BB



DETAIL BE



SHOWER SURROUND
(REF)

SECTION BF-BF
(ROTATED)

DESCRIPTION:
WATER SYSTEM INSTL

SHEET: 2 OF 4
ITEM/PART NO: 000164286 / 32910201000
REV

24-Jan-2024

FAUCET-GAL,SGL CNTL,HI SPOUT
000025294 / 315240-01-CHT
11

DETAIL CB

TU10 3655

TU10 3680

E-54

TU10 40

T-30

TU10 30

A-33

VIEW CA

337

413

SECTION CE-CE

10 FILTER KIT-WATER,SINK
000038865 / 318913-01-000
SCREW
000G67-10-12U(2)

CLAMP
010495-04-000
SCREW
000G67-10-10U

RT-2

RT-1 640

E-9

E-51

RT-1 70

TU-9 170

RT-2

E-54

DETAIL CB

DIRECTION OF FLOW

KC

V-7

TU10 50

E-54

TU10 125

T-30

TU-8 535

TU-9 40

T-30

V-26

WATER HEATER INSTL
000027981 / 316161-01-000
PLATFORM ASM
141210-03-000

E-53

E-53

TU10 50

TU10 80

V-27

TU-9 115

E-53

TU-8 545

E-53

F-9

PW-5

E-53

TU-8 535

TU10 50

E-54

TU-8 150

E-54

TU10 100

PANEL-WATER PUMP
149477-08-CHT
FOAM
140364-01-CHT
SCREW
000G39-08-24U (4)

SCREW
000G39-08-16U (4)

TU-8 240

TU-8 675

VIEW CC

CLAMP
010497-01-000 (2)
SCREW
000G39-08-12U (2)

T-30

T-30

T-30

TU10 165

E-54

T-30

TU-9 80

T-30

TU-9 40

TU-9 95

TU-9 40

E-54

TU-9 40

TU10 230

E-54

CLAMP
010497-01-000 (2)
SCREW
000G39-08-12U (2)

DETAIL CD


DESCRIPTION:
WATER SYSTEM INSTL


SHEET: 3 OF 4


ITEM/PART NO: 000164286 / 32910201000

REV

24-Jan-2024







DESCRIPTION: WATER SYSTEM INSTL

SHEET: 4 OF 4 | ITEM/PART NO: 000164286 / 32910201000 | REV.

24-Jan-2024